

Contents

| | | |
|----------|---|----------------|
| | <i>Preface</i> | <i>page xi</i> |
| 1 | Introduction | 1 |
| | 1.1. Definitions of tinnitus | 1 |
| | 1.2. Categories of phantom auditory perception | 7 |
| | 1.3. Other phantom perceptions | 8 |
| | 1.4. Tinnitus-related neuronal activity | 9 |
| | 1.5. Processing of sounds within the brain | 9 |
| | 1.6. Tinnitus duration and epidemiology | 10 |
| | 1.7. Comments on somatosounds | 11 |
| | 1.8. Components of decreased sound tolerance | 11 |
| | 1.9. Involvement of hearing loss in tinnitus | 14 |
| | 1.10. Summary | 15 |
| 2 | The neurophysiological model of tinnitus and decreased sound tolerance | 16 |
| | 2.1. Development of the neurophysiological model of tinnitus | 16 |
| | 2.2. Mechanisms of tinnitus signal generation | 23 |
| | 2.3. Decreased sound tolerance | 32 |
| | 2.4. Relationship of tinnitus to hearing loss | 32 |
| | 2.5. Phantom perception | 33 |
| | 2.6. Natural habituation | 33 |
| | 2.7. The process by which tinnitus becomes a problem | 34 |
| | 2.8. The components of the neurophysiological model | 41 |
| | 2.9. The mechanism of tinnitus habituation and the neurophysiological basis for tinnitus retraining therapy | 52 |

| | | |
|---|--|-----|
| 2.10. A clinical approach to induce habituation of tinnitus | 55 | |
| 2.11. Summary of the model | 60 | |
| | | |
| 3 | Tinnitus retraining therapy (TRT): clinical implementation of the model | 63 |
| <hr/> | | |
| 3.1. Outline of tinnitus retraining therapy | 63 | |
| 3.2. Initial visit and evaluation | 65 | |
| 3.3. Diagnosis and patient categories | 80 | |
| 3.4. Counseling (retraining) sessions: common features | 85 | |
| 3.5. Sound therapy: common features | 115 | |
| 3.6. Specific modifications for individual treatment categories | 121 | |
| 3.7. Follow-up and closure of treatment | 133 | |
| 3.8. Minimal requirements necessary to perform TRT | 142 | |
| | | |
| 4 | Evaluation of treatment outcome and results | 145 |
| <hr/> | | |
| 4.1. Introduction | 145 | |
| 4.2. Methods of data collection | 146 | |
| 4.3. Criteria for improvement with respect to the neurophysiological model | 147 | |
| 4.4. Technical aspects of measurement | 147 | |
| 4.5. Specific criteria for scoring the significance of individual improvement | 148 | |
| 4.6. Placebo effect and spontaneous recovery | 150 | |
| 4.7. Effectiveness of tinnitus retraining therapy | 151 | |
| 4.8. Why we believe our data are valid | 168 | |
| 4.9. Conclusions | 169 | |
| | | |
| 5 | Prevention | 171 |
| <hr/> | | |
| 5.1. Avoidance of silence | 171 | |
| 5.2. Provision of sound enrichment | 172 | |
| 5.3. Avoidance of excessive noise | 173 | |
| 5.4. Avoidance of negative counseling | 173 | |
| 5.5. Emergency help line | 174 | |
| 5.6. Identification of subjects with a predisposition to tinnitus | 174 | |
| 5.7. Basic principles of prevention | 175 | |

| | | |
|----------|--|-----|
| 6 | Critical overview of selected tinnitus treatments | 177 |
| | 6.1. Medications | 181 |
| | 6.2. Surgical approaches for neurotological problems | 197 |
| | 6.3. Treatment of medical conditions associated with tinnitus and hyperacusis | 205 |
| | 6.4. Masking | 208 |
| | 6.5. Hearing aids | 211 |
| | 6.6. Psychological treatments | 212 |
| | 6.7. Electrical stimulation | 214 |
| | 6.8. Alternative therapies | 218 |
| | 6.9. Conclusions | 222 |
| 7 | General conclusions and future directions | 223 |
| | <i>Appendix 1: interview forms</i> | 228 |
| | <i>Appendix 2: representative examples used in counseling</i> | 231 |
| | <i>Glossary and list of abbreviations</i> | 233 |
| | <i>References</i> | 243 |
| | <i>Index</i> | 268 |